Quality Control

Work Orde February-14-13					*970	ገጸ2*							Page 1	
Item ID: Revision ID:	D3943-3				Accept	*N900	040	100)* s	Setup	Start Stop	*N!	S1*	
Item Name:	Handle Exten	sion									эсор	*N:	S2*	
Start Date:	2/08/13	Start Qty:		*2*		Cust Item I	D:							
Required Date:	: 2/25/13	Req'd Qty	: 2.00	*2*		Customer:								
Reference:					•									
Approvals:	Process Pla	an: ML5	_	Date: 13-02-1	√ Tooling:	D:	ate:		F		Start	*N	R1*	
	QC:			Date:		D:	ate:		•		Stop	*N	R2*	
Sequence ID/ Work Center I	D .	Operation Description	3		Set Up/ Run Hours	Tool ID	Tool #	Plan Code	Accept Qty	Reje Qty		Reject Number	Insp. Stamp	•
Draw Nbr	Rev	vision Nbr												
D3943	E												•	
100			'		0.00	 								
100 Waterjet FLOW CNC Water	:		1emo		0.00				10		0		Jm13-5	,-3¢
3040.50	-	E	-Cut as per I Dwg Rev: Prog Rev:	Dwg D3943										
		-2	-Deburr if ne	ecessary	·									
110		QC2- Inspect	parts off mad	chine FAI/FAIB	0.00									
*11 0 *		N	Aemo		0.00				10		٥		<u>Jm 13-5</u>	-3c

									DQA:	Date:	
NCR: Ye	s / No				WORK ORDER NON-C	CONFORI	MANCE / UP		QA Closed:	Date:	
Work Order					DISPOSITION			AGAINST DE	PARTMENT	/PROCESS	•
VVOIR Order	•	·			Rework	1 1	Skid-tube	Crosstube		Water Jet	Engineering
Part No).				Scrap	1 .	Machining	Small Fab	Pro	d. Eng. Coor.	Quality
					Use-as-is	Therr	noforming	Finishing	Rec/Sto	re/Packaging	Other
NCR No). 		<u></u>	······	Work Order Update		Large Fab	Composite		Supplier	
Root				Descri	iption of work order update	Initial	. Ac	tion	Sign &	.*	
Cause	Date	Step	Qty		or Non-conformance	Chief Eng	Desc	cription	Date .	Verification	QC Inspector
Doc/Data											
Equip/Tooling										·	
Operator					-						
Material											
Setup											
Other											
Process											
Supplier											
Training											

		F	AUL	T CATEGORY			
Landing Ge	ar	General					 _
Ве	ending	Bend		Grain		Ovalized	Pressure/Forced
C	entre Not Concentric to O/S	BOM/Route		Hardware		Over/Under tolerance	Temperature/Cure
Cr	racks	Broken/Damaged		Inspection Incomplete		Part Incorrect	 Weld
Cr	rushed/Crimped.	Burrs		Instructions Incomplete/Unclear	L	Part Lost/Missing	Wrong Stock Pulled
Пс	uffs ·	Contamination		Maintenance		Part Moved	
Пн	eat Treat	Countersink		Mislabeled		Positioned Wrong	_
In	nspection Strip in Tube	Cut Too Short		Misread		Power Loss/Surge	Other
Ri	ipples in Bend	Drill Holes		Óffset			
To	orque Waves in Extrusion	Drawing		Out of Calibration			
Πτι	urning Sequence	Finish		Out of Sequence			
- W	Vave/Twist in Tube	Folio		Outside Dimensions			

Unapproved

H:/FORMS/Quality Assurance\approved QA/NCRWO Rev G

Quality Control

												DQA:	Da	ite:	
NCR:	Yes	/ No				WORK ORDER NON-O	O	NFORM	MANCE / UP	DATE					
							*****					QA Closed:	Da	te:	
Work Ord	or:					DISPOSITION				AGAINS ⁻	r DE	PARTMENT	/PROCESS		
WORK OIG	٠					Rework	1		Skid-tube	Crosstube	,		Water Jet		Engineering
Part	No.					Scrap			Machining	Small Fal		Pro	d. Eng. Coor.		Quality
	•					Use-as-is		Therm	noforming	Finishing	3	Rec/Stor	e/Packaging		Other
NCR	No.			<u> </u>		Work Order Update]		Large Fab	Composite	<u> </u>		Supplier		
Root		_			Descri	tion of work order update	لــــــــــــــــــــــــــــــــــــ	nitial	Ac	tion		Sign &			
Cause		Date	Step	Qty	ł	or Non-conformance	Ch	ief Eng	Desc	ription		Date	Verificatio	n	QC Inspector
Doc/Data															
Equip/Tooling		į													
Operator						1									
Material							İ					,			-
Setup															
Other															
Process															
Supplier		,													
Training			-												
Unapproved				<u> </u>								<u> </u>			
	,						AUL	T CATE	GORY						
Landi	ng C					General		7			_	1		_	· 1
	Щ	Bending				Bend	<u>_</u>	Grain			 	Ovalized			Pressure/Forced
	Щ	Centre No	ot Concer	ntric to	o/s	BOM/Route	<u></u>	Hardwa			<u> </u>	Over/Under		<u> </u>	Temperature/Cure
	Ш	Cracks				Broken/Damaged		4	on Incomplete		<u> </u>	Part Incorre		-	Weld
1		Crushed/	Crimped.			Burrs	<u> </u>	4	ions Incomplete/	Unclear	_	Part Lost/Mi	issing	L	Wrong Stock Pulled
		Cuffs				Contamination		Mainte	nance			Part Moved			
		Heat Trea	it			Countersink		Mislabe	eled		_	Positioned V	~		1
		Inspection	n Strip in	Tube	1	Cut Too Short		Misread	t			Power Loss/	Surge		Other

Offset

Out of Calibration

Outside Dimensions

Out of Sequence

Turning Sequence

Wave/Twist in Tube

Ripples in Bend

Torque Waves in Extrusion

Drill Holes

Drawing

Finish

Folio

H:/FORMS/Quality Assurance\approved QA/NCRWO Rev G

Work Orde February-14-13				*970	182*							Page 3
Item ID: Revision ID:	D3943-3		A	Accept	*N900	040	100)* 5	Setup S			S1*
Item Name: Start Date: Required Date:	Handle Extens 2/08/13 2/25/13	Start Qty: 2.00 Req'd Qty: 2.00	*2* *2*		Cust Item I Customer:	D:				Stop	*N:	S2*
Reference: Approvals:	Process Pla	ın:	Date:	Tooling: _ SPC (Y/N):		 ate:		I		tart Stop	*NI *NI	R1*
Sequence ID/ Work Center II		Operation Description Identify as per dwg & St	ock Location: WACC	Set Up/ Run Hours 1 0.00	Tool ID	Tool #	Plan Code	Accept Qty	Rejec Qty		Reject Number	Insp. Stamp
170 Packaging Packaging		Memo		0.00	·			fo_	<u>C</u>	7	13-6	-5-
180 *1 2 0*		QC21- Final Inspection	Work Order Release	0.00					<u> </u>	13-	06-6	55

Quality Control

W13-84-5

												DQA:	Dat	.e:	
NCR: Y	es .	/ No				WORK ORDER NON-	100	NFORI	MANCE / UP	DATE					
	• •									: ******* ·		QA Closed:	Dat	.e:	
Work Orde	or.					DISPOSITION				AGAINST	DE	PARTMENT	PROCESS		
Part N	– . No.					Rework Scrap Use-as-is			Skid-tube Machining moforming	Crosstube Small Fab Finishing		ľ	Water Jet d. Eng. Coor. e/Packaging		Engineering Quality Other
NCR N	۱o. <u> </u>					Work Order Update	J		Large Fab	Composite			Supplier		
Root		:				tion of work order update		nitial		tion		Sign &			
Cause		Date	Step	Qty	(or Non-conformance	Ch	ief Eng	Desc	ription		Date	Verification	1	QC Inspector
Doc/Data Equip/Tooling Operator Material Setup Other Process Supplier Training Unapproved															
							AUL	T CATE	GORY						
Landir	_					General		1		1		1	ſ		1
		Bending Centre No	ot Concer	ntric to	o/s	Bend BOM/Route		Grain Hardwa	are			Ovalized Over/Under	tolerance		Pressure/Forced Temperature/Cure
1 [Cracks				Broken/Damaged		Inspect	ion Incomplete			Part Incorred	ct	l	Weld

Instructions Incomplete/Unclear

Maintenance

Out of Calibration

Out of Sequence

Outside Dimensions

Mislabeled

Misread

Offset

Wrong Stock Pulled

Other

Part Lost/Missing

Positioned Wrong

Power Loss/Surge

Part Moved

Turning Sequence

Wave/Twist in Tube

Ripples in Bend

Crushed/Crimped.

Inspection Strip in Tube

Torque Waves in Extrusion

Cuffs

Heat Treat

Burrs

Contamination

Countersink

Cut Too Short

Drill Holes

Drawing

Finish

Folio

H:/FORMS/Quality Assurance\approved QA/NCRWO Rev G

February-14-13 10:49:23 AM

Work Order ID:

97082

Parent Item:

D3943-3

Parent Item Name:

Handle Extension

Start Date: 2/08/13

Required Date: 2/25/13

Start Qty: 2.00

Required Qty: 2.00

Comments:

Est Rev:A New Issue 09-06-03 JLM Verified By:EC IPP Rev:B as per dwg REV.C DD 10.02.22 verified by:EC IPP REV:C 11.08.16 AS PER REV.E DD VERF:JLM

	TO:OZ:ZZ TO:IIIOG C	<u> </u>												
Component Item ID/ Item Name	Replacement Item ID	Mfg/ Purch	Bin Item	Primary Location	Last Location	Route Seq ID	Unit of Measure	Qty on Hand	Qty per Kit	Total Qty	Qty Issued	Date Issued	Status	
M304B0.500X012.000		Purchased	No			100	(f)	21.5000	1.26	- 2.652631	6 		7m13-5-	
304 BAR .500 X 12.00													SHE -S	

Location	Loc Qty	Loc Code	
MAT051	21.5		
112778	17.5		BEFEIL
116061	4		

									DQA:	Date:	
NCR: Yes	/ No				WORK ORDER NON-C	CONFORM	MANCE / UP	PDATE	QA Closed:	Date:	
Work Order:					DISPOSITION			AGAINST DE	PARTMENT	/PROCESS	
Part No.					Rework Scrap Use-as-is	ſ	Skid-tube Machining noforming	Crosstube Small Fab Finishing	4	Water Jet d. Eng. Coor.	Engineering Quality Other
NCR No.					Work Order Update	4 8	Large Fab	Composite]	Supplier	
Root				Descript	ion of work order update	Initial	Ad	ction	Sign &		
Cause	Date	Step	· Qty	or	Non-conformance	Chief Eng	Desc	ription	Date	Verification	QC Inspector
Doc/Data				•							
quip/Tooling Operator										`.	
//aterial							•				
etup		1									
Other											
rocess											
Supplier											1
raining									1		·.

			FAU	LT CATEGORY		
Landing	Gear	General			 _	
	Bending	Bend		Grain	Ovalized	Pressure/Forced
	Centre Not Concentric to O/S	BOM/Route		Hardware	Over/Under tolerance	Temperature/Cure
	Cracks	Broken/Damaged		Inspection Incomplete	Part incorrect	Weld
	Crushed/Crimped.	Burrs		Instructions Incomplete/Unclear	Part Lost/Missing	Wrong Stock Pulled
	Cuffs	Contamination		Maintenance	Part Moved	
	Heat Treat	Countersink		Mislabeled	Positioned Wrong	
	Inspection Strip in Tube	Cut Too Short		Misread	Power Loss/Surge	Other
	Ripples in Bend	Drill Holes		Offset		
	Torque Waves in Extrusion	Drawing		Out of Calibration		
	Turning Sequence	Finish		Out of Sequence		<u> </u>
	Wave/Twist in Tube	Folio		Outside Dimensions		

Unapproved

H:/FORMS/Quality Assurance\approved QA/NCRWO Rev G

DART AEROSPACE LTD	Work Order:	97082
Description: Handle Extension	Part Number:	D3943-3
Inspection Dwg: D3943 Rev: E		Page 1 of 1

FIRST ARTICLE INSPECTION CHECKLIST

Drawing Dimension	Tolerance	Actual Dimension	Accept	Reject	Method of Inspection	Comments
0.88	+/-0.030	0.862"	-		V	Jamoi
0.40	+/-0.030	0.40			V	
0.13	+/-0.030	0,119	-		V	
Ø0.31	+0.006/-0.001	0,310"	_		٧	
1.63	+/-0.030	1.628"	-		V	
0.50	+/-0.030	0.507	•		V	
0.56	+/-0.030	0.556	-		V	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,
2.75	+/-0.030	2.75	~		V	
4.25	+/-0.030	4.15"	~	·	V	
6.06	+/-0.030	6.061	-		V	
13.38	+/-0.030	13.38"	-		T	Jkma6
14.50	+/-0.030	14.50"			T	SKINGO

Measured by: Jm	Audited by:	Preliminary Approval:
Date: 13.5.30	Date: 13-5-04	Date:

Rev	Date	Change	Revised by	Approved
Α	09.06.11	New Issue	KJ 10.	1
В	12.02.01	Dimensions update per Dwg Rev E	KJ OST	<i>b</i> /
				183

İ	ITEM No.	QTY -041	QTY -051	QTY -053	7 PART NUMBER	6 5 DESCRIPTION	PREFERED SUPPLIER	3	
	1	×			D3943-041	GROUND HANDLING CRANK ASSEMBLY		4	
	5	1	Х		D3943-051	HANDLE ASSEMBLY		-	
D	6	6 1 X		х	D3943-053	CHAIN ASSEMBLY		1	
								1	
	11		1		D3943-1	HANDLE	M/F HANDLE FROM DIS-ASSEMBLED ITEM 39	ヿ .	
	12	1			D3943-3	HANDLE EXTENSION		FE.	
	13		1		D3943-5	PLATE	,	1/ 1/	
	14		2		D3943-7	STUD		1	
	15			1	D3943-9	CHAIN	USE CHAIN SUPPLIED WITH ITEM 39	1	
	16			1	D4405-1	EYE AND FORK SWIVEL		1	
								1	
- 1	21	1			D2690-4	LANYARD		1	
	22	1			D3585-1	SET SCREW		1	
	23	1			D3949-041	REMOVE BEFORE FLIGHT FLAG		1	
	24			1	D3954-5	CHAIN LUG		1	
	25	1			D3954-7	RATCHET LUG		1	
	26			1	D3954-9	GWT CHAIN PIN]	
С								}	
	31	1			AN5-11A	BOLT]	
	32	1			AN960-516	WASHER		1	
	33	1			MS21042L5	NUT]	
ŀ						,		1	
ŀ	39	1			8143919	LEVER CHAIN HOIST (POWER FIST)	PRINCESS AUTO / 4000 lbs CAPACITY	1	
7	51	1	-		S-1475	SPRING	REID SUPPLY		
ł	52	1			3408A59	BALL PLUNGER	McMASTER CARR	1	
ı	53	1			HX-15	SOCKET HEAD CAP SCREW 4-20 UNC X 0.75 LG	HASKINS	1	
ı	54	1			HX-16	SOCKET HEAD CAP SCREW 4-20 UNC X 0.75 LG	HASKINS	1	
								-	

SHOP COPY RUTUPALTO ENGINEERING UNCONTROLLED COPY SUBJECT TO AMENDMENT WITHOUT NOTICE WORK ORDER MCS 97082 MCS

E	CHANGED D3945-3 MATL TO SS (88-5); FINISH NOW 'NONE' (A7-5); TAP ORILL FOR 1/4-20 UNF-28 WAS MB 11.07.27 PILOT HOLE NOTE (81-5). PER PAR11-113.							
D	FOR D	PL, ITEN ETAILS, ZN D3 F HOLE DI	AJS	11.05.16				
С	RMV FINISH -041 (ZN A8-2), ADD NEW FINISH -051/-053/ -1/-3 (A8-3/-4/-5), ADD CALIBRATION (A8-2), (1) HX-16 CP WAS HX-15 (B3-1, C3-1), PAR 10-001						L	
В	AN960- 0.75 LC	PL, ITEM 416, ITE 3. SHEE ONENTS	AJS	09.10.15				
Α	NEW ISSUE					09.05.13	1	
REV.				ESCRIPTION	BY	DATE	1	
DESIGN DSTOW/AJS		V/AJS	DART AEROSP	ACE	LTD	1		
DRAWN			HAWKESBURY, ONTARI			۱ ۱		
CHECKED A		35,	DRAWING NO.		REV. E	1		
MFG. APPR.			D3943 SHEET 1 OF 5			ĺ		
APPROVED		W.	Y	TITLE		SCALE	1	
DE APPR. N/A		A	GROSS WEIGHT TOW CRANK ASSY NTS			l		
DATE 11.07.27				COPYRIGHT © 2009 BY DART AEROSPACE LTD HIS DOCUMENT OF PRIVATE AND CORPORATION AND OF PRIVATE OR THE DOMESS CONSTITUTION FOR MOST TO BE USED FOR ANY CHESTEN PERMASSION FROM DART AEROPACE, LTD THE CONTRACT OF THE PRIVATE OF THE PR				

Α







